



Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W			in <sup>3</sup>	cc
	mean	±	mean	±	ID	W	mean	±	mean	±			
2-001	0.029	0.004	0.040	0.003	1/32	1/32	0.74	0.10	1.02	0.08	2-001	0.000272	4.46
2-002	0.042	0.004	0.050	0.003	3/64	3/64	1.07	0.10	1.27	0.08	2-002	0.000568	9.30
2-003	0.056	0.004	0.060	0.003	1/16	1/16	1.42	0.10	1.52	0.08	2-003	0.001030	16.89
2-004	0.070	0.005	0.070	0.003	5/64	1/16	1.78	0.13	1.78	0.08	2-004	0.001693	27.74
2-005	0.101	0.005	0.070	0.003	3/32	1/16	2.57	0.13	1.78	0.08	2-005	0.002067	33.88
2-006	0.114	0.005	0.070	0.003	1/8	1/16	2.90	0.13	1.78	0.08	2-006	0.002225	36.46
2-007	0.145	0.005	0.070	0.003	5/32	1/16	3.68	0.13	1.78	0.08	2-007	0.002599	42.60
2-008	0.176	0.005	0.070	0.003	3/16	1/16	4.47	0.13	1.78	0.08	2-008	0.002974	48.74
2-009	0.208	0.005	0.070	0.003	7/32	1/16	5.28	0.13	1.78	0.08	2-009	0.003361	55.08
2-010	0.239	0.005	0.070	0.003	1/4	1/16	6.07	0.13	1.78	0.08	2-010	0.003736	61.22
2-011	0.301	0.005	0.070	0.003	5/16	1/16	7.65	0.13	1.78	0.08	2-011	0.004485	73.50
2-012	0.364	0.005	0.070	0.003	3/8	1/16	9.25	0.13	1.78	0.08	2-012	0.005247	85.99
2-013	0.426	0.005	0.070	0.003	7/16	1/16	10.82	0.13	1.78	0.08	2-013	0.005997	98.27
2-014	0.489	0.005	0.070	0.003	1/2	1/16	12.42	0.13	1.78	0.08	2-014	0.006758	110.75
2-015	0.551	0.007	0.070	0.003	9/16	1/16	14.00	0.18	1.78	0.08	2-015	0.007508	123.04
2-016	0.614	0.009	0.070	0.003	5/8	1/16	15.60	0.23	1.78	0.08	2-016	0.008270	135.52
2-017	0.676	0.009	0.070	0.003	11/16	1/16	17.17	0.23	1.78	0.08	2-017	0.009019	147.80
2-018	0.739	0.009	0.070	0.003	3/4	1/16	18.77	0.23	1.78	0.08	2-018	0.009781	160.28
2-019	0.801	0.009	0.070	0.003	13/16	1/16	20.35	0.23	1.78	0.08	2-019	0.010531	172.57
2-020	0.864	0.009	0.070	0.003	7/8	1/16	21.95	0.23	1.78	0.08	2-020	0.011292	185.05
2-021	0.926	0.009	0.070	0.003	15/16	1/16	23.52	0.23	1.78	0.08	2-021	0.012042	197.33
2-022	0.989	0.010	0.070	0.003	1	1/16	25.12	0.25	1.78	0.08	2-022	0.012804	209.81
2-023	1.051	0.010	0.070	0.003	1- 1/16	1/16	26.70	0.25	1.78	0.08	2-023	0.013553	222.10
2-024	1.114	0.010	0.070	0.003	1- 1/8	1/16	28.30	0.25	1.78	0.08	2-024	0.014315	234.58
2-025	1.176	0.011	0.070	0.003	1- 3/16	1/16	29.87	0.28	1.78	0.08	2-025	0.015064	246.86
2-026	1.239	0.011	0.070	0.003	1- 1/4	1/16	31.47	0.28	1.78	0.08	2-026	0.015826	259.35
2-027	1.301	0.011	0.070	0.003	1- 5/16	1/16	33.05	0.28	1.78	0.08	2-027	0.016576	271.63
2-028	1.364	0.013	0.070	0.003	1- 3/8	1/16	34.65	0.33	1.78	0.08	2-028	0.017337	284.11
2-029	1.489	0.013	0.070	0.003	1- 1/2	1/16	37.82	0.33	1.78	0.08	2-029	0.018849	308.88
2-030	1.614	0.013	0.070	0.003	1- 5/8	1/16	41.00	0.33	1.78	0.08	2-030	0.020360	333.64
2-031	1.739	0.015	0.070	0.003	1- 3/4	1/16	44.17	0.38	1.78	0.08	2-031	0.021871	358.41
2-032	1.864	0.015	0.070	0.003	1- 7/8	1/16	47.35	0.38	1.78	0.08	2-032	0.023383	383.17
2-033	1.989	0.018	0.070	0.003	2	1/16	50.52	0.46	1.78	0.08	2-033	0.024894	407.94
2-034	2.114	0.018	0.070	0.003	2- 1/8	1/16	53.70	0.46	1.78	0.08	2-034	0.026405	432.71
2-035	2.239	0.018	0.070	0.003	2- 1/4	1/16	56.87	0.46	1.78	0.08	2-035	0.027916	457.47
2-036	2.364	0.018	0.070	0.003	2- 3/8	1/16	60.05	0.46	1.78	0.08	2-036	0.029428	482.24
2-037	2.489	0.018	0.070	0.003	2- 1/2	1/16	63.22	0.46	1.78	0.08	2-037	0.030939	507.00
2-038	2.614	0.020	0.070	0.003	2- 5/8	1/16	66.40	0.51	1.78	0.08	2-038	0.032450	531.77

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.




Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-039	2.739	0.020	0.070	0.003	2- 3/4	1/16	69.57	0.51	1.78	0.08	2-039	0.033962	556.53
2-040	2.864	0.020	0.070	0.003	2- 7/8	1/16	72.75	0.51	1.78	0.08	2-040	0.035473	581.30
2-041	2.989	0.024	0.070	0.003	3	1/16	75.92	0.61	1.78	0.08	2-041	0.036984	606.06
2-042	3.239	0.024	0.070	0.003	3- 1/4	1/16	82.27	0.61	1.78	0.08	2-042	0.040007	655.60
2-043	3.489	0.024	0.070	0.003	3- 1/2	1/16	88.62	0.61	1.78	0.08	2-043	0.043029	705.13
2-044	3.739	0.027	0.070	0.003	3- 3/4	1/16	94.97	0.69	1.78	0.08	2-044	0.046052	754.66
2-045	3.989	0.027	0.070	0.003	4	1/16	101.32	0.69	1.78	0.08	2-045	0.049074	804.19
2-046	4.239	0.030	0.070	0.003	4- 1/4	1/16	107.67	0.76	1.78	0.08	2-046	0.052097	853.72
2-047	4.489	0.030	0.070	0.003	4- 1/2	1/16	114.02	0.76	1.78	0.08	2-047	0.055120	903.25
2-048	4.739	0.030	0.070	0.003	4- 3/4	1/16	120.37	0.76	1.78	0.08	2-048	0.058142	952.78
2-049	4.989	0.037	0.070	0.003	5	1/16	126.72	0.94	1.78	0.08	2-049	0.061165	1,002.32
2-050	5.239	0.037	0.070	0.003	5- 1/4	1/16	133.07	0.94	1.78	0.08	2-050	0.064187	1,051.85
2-102	0.049	0.005	0.103	0.003	1/16	3/32	1.24	0.13	2.62	0.08	2-102	0.003979	65.20
2-103	0.081	0.005	0.103	0.003	3/32	3/32	2.06	0.13	2.62	0.08	2-103	0.004817	78.93
2-104	0.112	0.005	0.103	0.003	1/8	3/32	2.84	0.13	2.62	0.08	2-104	0.005628	92.23
2-105	0.143	0.005	0.103	0.003	5/32	3/32	3.63	0.13	2.62	0.08	2-105	0.006439	105.52
2-106	0.174	0.005	0.103	0.003	3/16	3/32	4.42	0.13	2.62	0.08	2-106	0.007251	118.82
2-107	0.206	0.005	0.103	0.003	7/32	3/32	5.23	0.13	2.62	0.08	2-107	0.008089	132.55
2-108	0.237	0.005	0.103	0.003	1/4	3/32	6.02	0.13	2.62	0.08	2-108	0.008900	145.85
2-109	0.299	0.005	0.103	0.003	5/16	3/32	7.59	0.13	2.62	0.08	2-109	0.010523	172.44
2-110	0.362	0.005	0.103	0.003	3/8	3/32	9.19	0.13	2.62	0.08	2-110	0.012172	199.47
2-111	0.424	0.005	0.103	0.003	7/16	3/32	10.77	0.13	2.62	0.08	2-111	0.013795	226.06
2-112	0.487	0.005	0.103	0.003	1/2	3/32	12.37	0.13	2.62	0.08	2-112	0.015444	253.09
2-113	0.549	0.007	0.103	0.003	9/16	3/32	13.94	0.18	2.62	0.08	2-113	0.017067	279.68
2-114	0.612	0.009	0.103	0.003	5/8	3/32	15.54	0.23	2.62	0.08	2-114	0.018716	306.71
2-115	0.674	0.009	0.103	0.003	11/16	3/32	17.12	0.23	2.62	0.08	2-115	0.020339	333.30
2-116	0.737	0.009	0.103	0.003	3/4	3/32	18.72	0.23	2.62	0.08	2-116	0.021988	360.33
2-117	0.799	0.010	0.103	0.003	13/16	3/32	20.29	0.25	2.62	0.08	2-117	0.023611	386.92
2-118	0.862	0.010	0.103	0.003	7/8	3/32	21.89	0.25	2.62	0.08	2-118	0.025260	413.95
2-119	0.924	0.010	0.103	0.003	15/16	3/32	23.47	0.25	2.62	0.08	2-119	0.026883	440.54
2-120	0.987	0.010	0.103	0.003	1	3/32	25.07	0.25	2.62	0.08	2-120	0.028533	467.57
2-121	1.049	0.010	0.103	0.003	1- 1/16	3/32	26.64	0.25	2.62	0.08	2-121	0.030156	494.16
2-122	1.112	0.010	0.103	0.003	1- 1/8	3/32	28.24	0.25	2.62	0.08	2-122	0.031805	521.19
2-123	1.174	0.012	0.103	0.003	1- 3/16	3/32	29.82	0.30	2.62	0.08	2-123	0.033428	547.78
2-124	1.237	0.012	0.103	0.003	1- 1/4	3/32	31.42	0.30	2.62	0.08	2-124	0.035077	574.81
2-125	1.299	0.012	0.103	0.003	1- 5/16	3/32	32.99	0.30	2.62	0.08	2-125	0.036700	601.40
2-126	1.362	0.012	0.103	0.003	1- 3/8	3/32	34.59	0.30	2.62	0.08	2-126	0.038349	628.43
2-127	1.424	0.012	0.103	0.003	1- 7/16	3/32	36.17	0.30	2.62	0.08	2-127	0.039972	655.02
2-128	1.487	0.012	0.103	0.003	1- 1/2	3/32	37.77	0.30	2.62	0.08	2-128	0.041621	682.05

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.




Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-129	1.549	0.015	0.103	0.003	1- 9/16	3/32	39.34	0.38	2.62	0.08	2-129	0.043244	708.64
2-130	1.612	0.015	0.103	0.003	1- 5/8	3/32	40.94	0.38	2.62	0.08	2-130	0.044893	735.67
2-131	1.674	0.015	0.103	0.003	1- 11/16	3/32	42.52	0.38	2.62	0.08	2-131	0.046516	762.26
2-132	1.737	0.015	0.103	0.003	1- 3/4	3/32	44.12	0.38	2.62	0.08	2-132	0.048165	789.29
2-133	1.799	0.015	0.103	0.003	1- 13/16	3/32	45.69	0.38	2.62	0.08	2-133	0.049788	815.88
2-134	1.862	0.015	0.103	0.003	1- 7/8	3/32	47.29	0.38	2.62	0.08	2-134	0.051437	842.91
2-135	1.925	0.017	0.103	0.003	1- 15/16	3/32	48.90	0.43	2.62	0.08	2-135	0.053086	869.93
2-136	1.987	0.017	0.103	0.003	2	3/32	50.47	0.43	2.62	0.08	2-136	0.054709	896.53
2-137	2.050	0.017	0.103	0.003	2- 1/16	3/32	52.07	0.43	2.62	0.08	2-137	0.056358	923.55
2-138	2.112	0.017	0.103	0.003	2- 1/8	3/32	53.64	0.43	2.62	0.08	2-138	0.057981	950.15
2-139	2.175	0.017	0.103	0.003	2- 3/16	3/32	55.25	0.43	2.62	0.08	2-139	0.059630	977.17
2-140	2.237	0.017	0.103	0.003	2- 1/4	3/32	56.82	0.43	2.62	0.08	2-140	0.061253	1,003.77
2-141	2.300	0.020	0.103	0.003	2- 5/16	3/32	58.42	0.51	2.62	0.08	2-141	0.062903	1,030.79
2-142	2.362	0.020	0.103	0.003	2- 3/8	3/32	59.99	0.51	2.62	0.08	2-142	0.064525	1,057.39
2-143	2.425	0.020	0.103	0.003	2- 7/16	3/32	61.60	0.51	2.62	0.08	2-143	0.066175	1,084.41
2-144	2.487	0.020	0.103	0.003	2- 1/2	3/32	63.17	0.51	2.62	0.08	2-144	0.067798	1,111.01
2-145	2.550	0.020	0.103	0.003	2- 9/16	3/32	64.77	0.51	2.62	0.08	2-145	0.069447	1,138.03
2-146	2.612	0.020	0.103	0.003	2- 5/8	3/32	66.34	0.51	2.62	0.08	2-146	0.071070	1,164.63
2-147	2.675	0.022	0.103	0.003	2-11/16	3/32	67.95	0.56	2.62	0.08	2-147	0.072719	1,191.65
2-148	2.737	0.022	0.103	0.003	2- 3/4	3/32	69.52	0.56	2.62	0.08	2-148	0.074342	1,218.25
2-149	2.800	0.022	0.103	0.003	2- 13/16	3/32	71.12	0.56	2.62	0.08	2-149	0.075991	1,245.27
2-150	2.862	0.022	0.103	0.003	2- 7/8	3/32	72.69	0.56	2.62	0.08	2-150	0.077614	1,271.87
2-151	2.987	0.024	0.103	0.003	3	3/32	75.87	0.61	2.62	0.08	2-151	0.080886	1,325.49
2-152	3.237	0.024	0.103	0.003	3- 1/4	3/32	82.22	0.61	2.62	0.08	2-152	0.087430	1,432.73
2-153	3.487	0.024	0.103	0.003	3- 1/2	3/32	88.57	0.61	2.62	0.08	2-153	0.093974	1,539.97
2-154	3.737	0.028	0.103	0.003	3- 3/4	3/32	94.92	0.71	2.62	0.08	2-154	0.100518	1,647.21
2-155	3.987	0.028	0.103	0.003	4	3/32	101.27	0.71	2.62	0.08	2-155	0.107063	1,754.45
2-156	4.237	0.030	0.103	0.003	4- 1/4	3/32	107.62	0.76	2.62	0.08	2-156	0.113607	1,861.69
2-157	4.487	0.030	0.103	0.003	4- 1/2	3/32	113.97	0.76	2.62	0.08	2-157	0.120151	1,968.93
2-158	4.737	0.030	0.103	0.003	4- 3/4	3/32	120.32	0.76	2.62	0.08	2-158	0.126695	2,076.17
2-159	4.987	0.035	0.103	0.003	5	3/32	126.67	0.89	2.62	0.08	2-159	0.133239	2,183.41
2-160	5.237	0.035	0.103	0.003	5- 1/4	3/32	133.02	0.89	2.62	0.08	2-160	0.139783	2,290.65
2-161	5.487	0.035	0.103	0.003	5- 1/2	3/32	139.37	0.89	2.62	0.08	2-161	0.146328	2,397.89
2-162	5.737	0.035	0.103	0.003	5- 3/4	3/32	145.72	0.89	2.62	0.08	2-162	0.152872	2,505.13
2-163	5.987	0.035	0.103	0.003	6	3/32	152.07	0.89	2.62	0.08	2-163	0.159416	2,612.37
2-164	6.237	0.040	0.103	0.003	6- 1/4	3/32	158.42	1.02	2.62	0.08	2-164	0.165960	2,719.61
2-165	6.487	0.040	0.103	0.003	6- 1/2	3/32	164.77	1.02	2.62	0.08	2-165	0.172504	2,826.85
2-166	6.737	0.040	0.103	0.003	6- 3/4	3/32	171.12	1.02	2.62	0.08	2-166	0.179048	2,934.09
2-167	6.987	0.040	0.103	0.003	7	3/32	177.47	1.02	2.62	0.08	2-167	0.185593	3,041.33

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.




Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-168	7.237	0.045	0.103	0.003	7- 1/4	3/32	183.82	1.14	2.62	0.08	2-168	0.192137	3,148.57
2-169	7.487	0.045	0.103	0.003	7- 1/2	3/32	190.17	1.14	2.62	0.08	2-169	0.198681	3,255.82
2-170	7.737	0.045	0.103	0.003	7- 3/4	3/32	196.52	1.14	2.62	0.08	2-170	0.205225	3,363.06
2-171	7.987	0.045	0.103	0.003	8	3/32	202.87	1.14	2.62	0.08	2-171	0.211769	3,470.30
2-172	8.237	0.050	0.103	0.003	8- 1/4	3/32	209.22	1.27	2.62	0.08	2-172	0.218313	3,577.54
2-173	8.487	0.050	0.103	0.003	8- 1/2	3/32	215.57	1.27	2.62	0.08	2-173	0.224857	3,684.78
2-174	8.737	0.050	0.103	0.003	8- 3/4	3/32	221.92	1.27	2.62	0.08	2-174	0.231402	3,792.02
2-175	8.987	0.050	0.103	0.003	9	3/32	228.27	1.27	2.62	0.08	2-175	0.237946	3,899.26
2-176	9.237	0.055	0.103	0.003	9- 1/4	3/32	234.62	1.40	2.62	0.08	2-176	0.244490	4,006.50
2-177	9.487	0.055	0.103	0.003	9- 1/2	3/32	240.97	1.40	2.62	0.08	2-177	0.251034	4,113.74
2-178	9.737	0.055	0.103	0.003	9- 3/4	3/32	247.32	1.40	2.62	0.08	2-178	0.257578	4,220.98
2-201	0.171	0.005	0.139	0.004	3/16	1/8	4.34	0.13	3.53	0.10	2-201	0.014779	242.18
2-202	0.234	0.005	0.139	0.004	1/4	1/8	5.94	0.13	3.53	0.10	2-202	0.017782	291.39
2-203	0.296	0.005	0.139	0.004	5/16	1/8	7.52	0.13	3.53	0.10	2-203	0.020738	339.83
2-204	0.359	0.005	0.139	0.004	3/8	1/8	9.12	0.13	3.53	0.10	2-204	0.023741	389.05
2-205	0.421	0.005	0.139	0.004	7/16	1/8	10.69	0.13	3.53	0.10	2-205	0.026697	437.48
2-206	0.484	0.005	0.139	0.004	1/2	1/8	12.29	0.13	3.53	0.10	2-206	0.029700	486.70
2-207	0.546	0.007	0.139	0.004	9/16	1/8	13.87	0.18	3.53	0.10	2-207	0.032656	535.14
2-208	0.609	0.009	0.139	0.004	5/8	1/8	15.47	0.23	3.53	0.10	2-208	0.035659	584.35
2-209	0.671	0.010	0.139	0.004	11/16	1/8	17.04	0.25	3.53	0.10	2-209	0.038615	632.79
2-210	0.734	0.010	0.139	0.004	3/4	1/8	18.64	0.25	3.53	0.10	2-210	0.041618	682.00
2-211	0.796	0.010	0.139	0.004	13/16	1/8	20.22	0.25	3.53	0.10	2-211	0.044574	730.44
2-212	0.859	0.010	0.139	0.004	7/8	1/8	21.82	0.25	3.53	0.10	2-212	0.047577	779.66
2-213	0.921	0.010	0.139	0.004	15/16	1/8	23.39	0.25	3.53	0.10	2-213	0.050533	828.09
2-214	0.984	0.010	0.139	0.004	1	1/8	24.99	0.25	3.53	0.10	2-214	0.053536	877.31
2-215	1.046	0.010	0.139	0.004	1- 1/16	1/8	26.57	0.25	3.53	0.10	2-215	0.056492	925.75
2-216	1.109	0.012	0.139	0.004	1- 1/8	1/8	28.17	0.30	3.53	0.10	2-216	0.059495	974.96
2-217	1.171	0.012	0.139	0.004	1- 3/16	1/8	29.74	0.30	3.53	0.10	2-217	0.062451	1,023.40
2-218	1.234	0.012	0.139	0.004	1- 1/4	1/8	31.34	0.30	3.53	0.10	2-218	0.065455	1,072.61
2-219	1.296	0.012	0.139	0.004	1- 5/16	1/8	32.92	0.30	3.53	0.10	2-219	0.068410	1,121.05
2-220	1.359	0.012	0.139	0.004	1- 3/8	1/8	34.52	0.30	3.53	0.10	2-220	0.071414	1,170.27
2-221	1.421	0.012	0.139	0.004	1- 7/16	1/8	36.09	0.30	3.53	0.10	2-221	0.074369	1,218.70
2-222	1.484	0.015	0.139	0.004	1- 1/2	1/8	37.69	0.38	3.53	0.10	2-222	0.077373	1,267.92
2-223	1.609	0.015	0.139	0.004	1- 5/8	1/8	40.87	0.38	3.53	0.10	2-223	0.083332	1,365.57
2-224	1.734	0.015	0.139	0.004	1- 3/4	1/8	44.04	0.38	3.53	0.10	2-224	0.089291	1,463.22
2-225	1.859	0.018	0.139	0.004	1- 7/8	1/8	47.22	0.46	3.53	0.10	2-225	0.095250	1,560.88
2-226	1.984	0.018	0.139	0.004	2	1/8	50.39	0.46	3.53	0.10	2-226	0.101209	1,658.53
2-227	2.109	0.018	0.139	0.004	2- 1/16	1/8	53.57	0.46	3.53	0.10	2-227	0.107168	1,756.18
2-228	2.234	0.020	0.139	0.004	2- 1/4	1/8	56.74	0.51	3.53	0.10	2-228	0.113127	1,853.83

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.




Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-229	2.359	0.020	0.139	0.004	2- 3/8	1/8	59.92	0.51	3.53	0.10	2-229	0.119086	1,951.49
2-230	2.484	0.020	0.139	0.004	2- 1/2	1/8	63.09	0.51	3.53	0.10	2-230	0.125045	2,049.14
2-231	2.609	0.020	0.139	0.004	2- 5/8	1/8	66.27	0.51	3.53	0.10	2-231	0.131004	2,146.79
2-232	2.734	0.024	0.139	0.004	2- 3/4	1/8	69.44	0.61	3.53	0.10	2-232	0.136964	2,244.44
2-233	2.859	0.024	0.139	0.004	2- 7/8	1/8	72.62	0.61	3.53	0.10	2-233	0.142923	2,342.10
2-234	2.984	0.024	0.139	0.004	3	1/8	75.79	0.61	3.53	0.10	2-234	0.148882	2,439.75
2-235	3.109	0.024	0.139	0.004	3- 1/8	1/8	78.97	0.61	3.53	0.10	2-235	0.154841	2,537.40
2-236	3.234	0.024	0.139	0.004	3- 1/4	1/8	82.14	0.61	3.53	0.10	2-236	0.160800	2,635.05
2-237	3.359	0.024	0.139	0.004	3- 3/8	1/8	85.32	0.61	3.53	0.10	2-237	0.166759	2,732.71
2-238	3.484	0.024	0.139	0.004	3- 1/2	1/8	88.49	0.61	3.53	0.10	2-238	0.172718	2,830.36
2-239	3.609	0.028	0.139	0.004	3- 5/8	1/8	91.67	0.71	3.53	0.10	2-239	0.178677	2,928.01
2-240	3.734	0.028	0.139	0.004	3-3/4	1/8	94.84	0.71	3.53	0.10	2-240	0.184636	3,025.66
2-241	3.859	0.028	0.139	0.004	3- 7/8	1/8	98.02	0.71	3.53	0.10	2-241	0.190595	3,123.32
2-242	3.984	0.028	0.139	0.004	4	1/8	101.19	0.71	3.53	0.10	2-242	0.196554	3,220.97
2-243	4.109	0.028	0.139	0.004	4- 1/8	1/8	104.37	0.71	3.53	0.10	2-243	0.202513	3,318.62
2-244	4.234	0.030	0.139	0.004	4- 1/4	1/8	107.54	0.76	3.53	0.10	2-244	0.208473	3,416.27
2-245	4.359	0.030	0.139	0.004	4- 3/8	1/8	110.72	0.76	3.53	0.10	2-245	0.214432	3,513.93
2-246	4.484	0.030	0.139	0.004	4- 1/2	1/8	113.89	0.76	3.53	0.10	2-246	0.220391	3,611.58
2-247	4.609	0.030	0.139	0.004	4- 5/8	1/8	117.07	0.76	3.53	0.10	2-247	0.226350	3,709.23
2-248	4.734	0.030	0.139	0.004	4- 3/4	1/8	120.24	0.76	3.53	0.10	2-248	0.232309	3,806.88
2-249	4.859	0.035	0.139	0.004	4- 7/8	1/8	123.42	0.89	3.53	0.10	2-249	0.238268	3,904.54
2-250	4.984	0.035	0.139	0.004	5	1/8	126.59	0.89	3.53	0.10	2-250	0.244227	4,002.19
2-251	5.109	0.035	0.139	0.004	5- 1/8	1/8	129.77	0.89	3.53	0.10	2-251	0.250186	4,099.84
2-252	5.234	0.035	0.139	0.004	5- 1/4	1/8	132.94	0.89	3.53	0.10	2-252	0.256145	4,197.49
2-253	5.359	0.035	0.139	0.004	5- 3/8	1/8	136.12	0.89	3.53	0.10	2-253	0.262104	4,295.15
2-254	5.484	0.035	0.139	0.004	5- 1/2	1/8	139.29	0.89	3.53	0.10	2-254	0.268063	4,392.80
2-255	5.609	0.035	0.139	0.004	5- 5/8	1/8	142.47	0.89	3.53	0.10	2-255	0.274022	4,490.45
2-256	5.734	0.035	0.139	0.004	5- 3/4	1/8	145.64	0.89	3.53	0.10	2-256	0.279982	4,588.10
2-257	5.859	0.035	0.139	0.004	5- 7/8	1/8	148.82	0.89	3.53	0.10	2-257	0.285941	4,685.75
2-258	5.984	0.035	0.139	0.004	6	1/8	151.99	0.89	3.53	0.10	2-258	0.291900	4,783.41
2-259	6.234	0.040	0.139	0.004	6- 1/4	1/8	158.34	1.02	3.53	0.10	2-259	0.303818	4,978.71
2-260	6.484	0.040	0.139	0.004	6- 1/2	1/8	164.69	1.02	3.53	0.10	2-260	0.315736	5,174.02
2-261	6.734	0.040	0.139	0.004	6- 3/4	1/8	171.04	1.02	3.53	0.10	2-261	0.327654	5,369.32
2-262	6.984	0.040	0.139	0.004	7	1/8	177.39	1.02	3.53	0.10	2-262	0.339572	5,564.63
2-263	7.234	0.045	0.139	0.004	7- 1/4	1/8	183.74	1.14	3.53	0.10	2-263	0.351490	5,759.93
2-264	7.484	0.045	0.139	0.004	7- 1/2	1/8	190.09	1.14	3.53	0.10	2-264	0.363409	5,955.24
2-265	7.734	0.045	0.139	0.004	7- 3/4	1/8	196.44	1.14	3.53	0.10	2-265	0.375327	6,150.54
2-266	7.984	0.045	0.139	0.004	8	1/8	202.79	1.14	3.53	0.10	2-266	0.387245	6,345.85
2-267	8.234	0.050	0.139	0.004	8- 1/4	1/8	209.14	1.27	3.53	0.10	2-267	0.399163	6,541.15

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.




Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-268	8.484	0.050	0.139	0.004	8- 1/2	1/8	215.49	1.27	3.53	0.10	2-268	0.411081	6,736.46
2-269	8.734	0.050	0.139	0.004	8- 3/4	1/8	221.84	1.27	3.53	0.10	2-269	0.422999	6,931.76
2-270	8.984	0.050	0.139	0.004	9	1/8	228.19	1.27	3.53	0.10	2-270	0.434918	7,127.07
2-271	9.234	0.055	0.139	0.004	9- 1/4	1/8	234.54	1.40	3.53	0.10	2-271	0.446836	7,322.37
2-272	9.484	0.055	0.139	0.004	9- 1/2	1/8	240.89	1.40	3.53	0.10	2-272	0.458754	7,517.68
2-273	9.734	0.055	0.139	0.004	9- 3/4	1/8	247.24	1.40	3.53	0.10	2-273	0.470672	7,712.98
2-274	9.984	0.055	0.139	0.004	10	1/8	253.59	1.40	3.53	0.10	2-274	0.482590	7,908.29
2-275	10.484	0.055	0.139	0.004	10- 1/2	1/8	266.29	1.40	3.53	0.10	2-275	0.506427	8,298.90
2-276	10.984	0.065	0.139	0.004	11	1/8	278.99	1.65	3.53	0.10	2-276	0.530263	8,689.51
2-277	11.484	0.065	0.139	0.004	11- 1/2	1/8	291.69	1.65	3.53	0.10	2-277	0.554099	9,080.11
2-278	11.984	0.065	0.139	0.004	12	1/8	304.39	1.65	3.53	0.10	2-278	0.577936	9,470.72
2-279	12.984	0.065	0.139	0.004	13	1/8	329.79	1.65	3.53	0.10	2-279	0.625608	10,251.94
2-280	13.984	0.065	0.139	0.004	14	1/8	355.19	1.65	3.53	0.10	2-280	0.673281	11,033.16
2-281	14.984	0.065	0.139	0.004	15	1/8	380.59	1.65	3.53	0.10	2-281	0.720954	11,814.38
2-282	15.955	0.075	0.139	0.004	16	1/8	405.26	1.91	3.53	0.10	2-282	0.767244	12,572.95
2-283	16.955	0.080	0.139	0.004	17	1/8	430.66	2.03	3.53	0.10	2-283	0.814916	13,354.17
2-284	17.955	0.085	0.139	0.004	18	1/8	456.06	2.16	3.53	0.10	2-284	0.862589	14,135.39
2-309	0.412	0.005	0.210	0.005	7/16	3/16	10.46	0.13	5.33	0.13	2-309	0.067681	1,109.10
2-310	0.475	0.005	0.210	0.005	1/2	3/16	12.07	0.13	5.33	0.13	2-310	0.074536	1,221.44
2-311	0.537	0.007	0.210	0.005	9/16	3/16	13.64	0.18	5.33	0.13	2-311	0.081283	1,332.00
2-312	0.600	0.009	0.210	0.005	5/8	3/16	15.24	0.23	5.33	0.13	2-312	0.088138	1,444.33
2-313	0.662	0.009	0.210	0.005	11/16	3/16	16.81	0.23	5.33	0.13	2-313	0.094884	1,554.89
2-314	0.725	0.010	0.210	0.005	3/4	3/16	18.42	0.25	5.33	0.13	2-314	0.101740	1,667.22
2-315	0.787	0.010	0.210	0.005	13/16	3/16	19.99	0.25	5.33	0.13	2-315	0.108486	1,777.78
2-316	0.850	0.010	0.210	0.005	7/8	3/16	21.59	0.25	5.33	0.13	2-316	0.115341	1,890.11
2-317	0.912	0.010	0.210	0.005	15/16	3/16	23.16	0.25	5.33	0.13	2-317	0.122087	2,000.67
2-318	0.975	0.010	0.210	0.005	1	3/16	24.77	0.25	5.33	0.13	2-318	0.128943	2,113.00
2-319	1.037	0.010	0.210	0.005	1-1/16	3/16	26.34	0.25	5.33	0.13	2-319	0.135689	2,223.56
2-320	1.100	0.012	0.210	0.005	1-1/8	3/16	27.94	0.30	5.33	0.13	2-320	0.142544	2,335.90
2-321	1.162	0.012	0.210	0.005	1-3/16	3/16	29.51	0.30	5.33	0.13	2-321	0.149291	2,446.45
2-322	1.225	0.012	0.210	0.005	1-1/4	3/16	31.12	0.30	5.33	0.13	2-322	0.156146	2,558.79
2-323	1.287	0.012	0.210	0.005	1-5/16	3/16	32.69	0.30	5.33	0.13	2-323	0.162892	2,669.34
2-324	1.350	0.012	0.210	0.005	1-3/8	3/16	34.29	0.30	5.33	0.13	2-324	0.169747	2,781.68
2-325	1.475	0.015	0.210	0.005	1-1/2	3/16	37.47	0.38	5.33	0.13	2-325	0.183349	3,004.57
2-326	1.600	0.015	0.210	0.005	1-5/8	3/16	40.64	0.38	5.33	0.13	2-326	0.196950	3,227.46
2-327	1.725	0.015	0.210	0.005	1-3/4	3/16	43.82	0.38	5.33	0.13	2-327	0.210552	3,450.35
2-328	1.850	0.015	0.210	0.005	1-7/8	3/16	46.99	0.38	5.33	0.13	2-328	0.224154	3,673.24
2-329	1.975	0.018	0.210	0.005	2	3/16	50.17	0.46	5.33	0.13	2-329	0.237755	3,896.13
2-330	2.100	0.018	0.210	0.005	2-1/8	3/16	53.34	0.46	5.33	0.13	2-330	0.251357	4,119.02

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.



Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-331	2.225	0.018	0.210	0.005	2-1/4	3/16	56.52	0.46	5.33	0.13	2-331	0.264958	4,341.91
2-332	2.350	0.018	0.210	0.005	2-3/8	3/16	59.69	0.46	5.33	0.13	2-332	0.278560	4,564.80
2-333	2.475	0.020	0.210	0.005	2-1/2	3/16	62.87	0.51	5.33	0.13	2-333	0.292161	4,787.69
2-334	2.600	0.020	0.210	0.005	2-5/8	3/16	66.04	0.51	5.33	0.13	2-334	0.305763	5,010.58
2-335	2.725	0.020	0.210	0.005	2-3/4	3/16	69.22	0.51	5.33	0.13	2-335	0.319364	5,233.48
2-336	2.850	0.020	0.210	0.005	2-7/8	3/16	72.39	0.51	5.33	0.13	2-336	0.332966	5,456.37
2-337	2.975	0.024	0.210	0.005	3	3/16	75.57	0.61	5.33	0.13	2-337	0.346567	5,679.26
2-338	3.100	0.024	0.210	0.005	3-1/8	3/16	78.74	0.61	5.33	0.13	2-338	0.360169	5,902.15
2-339	3.225	0.024	0.210	0.005	3-1/4	3/16	81.92	0.61	5.33	0.13	2-339	0.373771	6,125.04
2-340	3.350	0.024	0.210	0.005	3-3/8	3/16	85.09	0.61	5.33	0.13	2-340	0.387372	6,347.93
2-341	3.475	0.024	0.210	0.005	3-1/2	3/16	88.27	0.61	5.33	0.13	2-341	0.400974	6,570.82
2-342	3.600	0.028	0.210	0.005	3-5/8	3/16	91.44	0.71	5.33	0.13	2-342	0.414575	6,793.71
2-343	3.725	0.028	0.210	0.005	3-3/4	3/16	94.62	0.71	5.33	0.13	2-343	0.428177	7,016.60
2-344	3.850	0.028	0.210	0.005	3-7/8	3/16	97.79	0.71	5.33	0.13	2-344	0.441778	7,239.49
2-345	3.975	0.028	0.210	0.005	4	3/16	100.97	0.71	5.33	0.13	2-345	0.455380	7,462.38
2-346	4.100	0.028	0.210	0.005	4-1/8	3/16	104.14	0.71	5.33	0.13	2-346	0.468981	7,685.27
2-347	4.225	0.030	0.210	0.005	4-1/4	3/16	107.32	0.76	5.33	0.13	2-347	0.482583	7,908.17
2-348	4.350	0.030	0.210	0.005	4-3/8	3/16	110.49	0.76	5.33	0.13	2-348	0.496184	8,131.06
2-349	4.475	0.030	0.210	0.005	4-1/2	3/16	113.67	0.76	5.33	0.13	2-349	0.509786	8,353.95
2-350	4.600	0.030	0.210	0.005	4-5/8	3/16	116.84	0.76	5.33	0.13	2-350	0.523388	8,576.84
2-351	4.725	0.030	0.210	0.005	4-3/4	3/16	120.02	0.76	5.33	0.13	2-351	0.536989	8,799.73
2-352	4.850	0.030	0.210	0.005	4-7/8	3/16	123.19	0.76	5.33	0.13	2-352	0.550591	9,022.62
2-353	4.975	0.037	0.210	0.005	5	3/16	126.37	0.94	5.33	0.13	2-353	0.564192	9,245.51
2-354	5.100	0.037	0.210	0.005	5-1/8	3/16	129.54	0.94	5.33	0.13	2-354	0.577794	9,468.40
2-355	5.225	0.037	0.210	0.005	5-1/4	3/16	132.72	0.94	5.33	0.13	2-355	0.591395	9,691.29
2-356	5.350	0.037	0.210	0.005	5-3/8	3/16	135.89	0.94	5.33	0.13	2-356	0.604997	9,914.18
2-357	5.475	0.037	0.210	0.005	5-1/2	3/16	139.07	0.94	5.33	0.13	2-357	0.618598	10,137.07
2-358	5.600	0.037	0.210	0.005	5-5/8	3/16	142.24	0.94	5.33	0.13	2-358	0.632200	10,359.96
2-359	5.725	0.037	0.210	0.005	5-3/4	3/16	145.42	0.94	5.33	0.13	2-359	0.645802	10,582.85
2-360	5.850	0.037	0.210	0.005	5-7/8	3/16	148.59	0.94	5.33	0.13	2-360	0.659403	10,805.75
2-361	5.975	0.037	0.210	0.005	6	3/16	151.77	0.94	5.33	0.13	2-361	0.673005	11,028.64
2-362	6.225	0.040	0.210	0.005	6-1/4	3/16	158.12	1.02	5.33	0.13	2-362	0.700208	11,474.42
2-363	6.475	0.040	0.210	0.005	6-1/2	3/16	164.47	1.02	5.33	0.13	2-363	0.727411	11,920.20
2-364	6.725	0.040	0.210	0.005	6-3/4	3/16	170.82	1.02	5.33	0.13	2-364	0.754614	12,365.98
2-365	6.975	0.040	0.210	0.005	7	3/16	177.17	1.02	5.33	0.13	2-365	0.781817	12,811.76
2-366	7.225	0.045	0.210	0.005	7-1/4	3/16	183.52	1.14	5.33	0.13	2-366	0.809020	13,257.54
2-367	7.475	0.045	0.210	0.005	7-1/2	3/16	189.87	1.14	5.33	0.13	2-367	0.836223	13,703.33
2-368	7.725	0.045	0.210	0.005	7-3/4	3/16	196.22	1.14	5.33	0.13	2-368	0.863426	14,149.11
2-369	7.975	0.045	0.210	0.005	8	3/16	202.57	1.14	5.33	0.13	2-369	0.890629	14,594.89


Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.



Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-370	8.225	0.050	0.210	0.005	8-1/4	3/16	208.92	1.27	5.33	0.13	2-370	0.917832	15,040.67
2-371	8.475	0.050	0.210	0.005	8-1/2	3/16	215.27	1.27	5.33	0.13	2-371	0.945036	15,486.45
2-372	8.725	0.050	0.210	0.005	8-3/4	3/16	221.62	1.27	5.33	0.13	2-372	0.972239	15,932.23
2-373	8.975	0.050	0.210	0.005	9	3/16	227.97	1.27	5.33	0.13	2-373	0.999442	16,378.01
2-374	9.225	0.055	0.210	0.005	9-1/4	3/16	234.32	1.40	5.33	0.13	2-374	1.026645	16,823.80
2-375	9.475	0.055	0.210	0.005	9-1/2	3/16	240.67	1.40	5.33	0.13	2-375	1.053848	17,269.58
2-376	9.725	0.055	0.210	0.005	9-3/4	3/16	247.02	1.40	5.33	0.13	2-376	1.081051	17,715.36
2-377	9.975	0.055	0.210	0.005	10	3/16	253.37	1.40	5.33	0.13	2-377	1.108254	18,161.14
2-378	10.475	0.060	0.210	0.005	10-1/2	3/16	266.07	1.52	5.33	0.13	2-378	1.162660	19,052.70
2-379	10.975	0.060	0.210	0.005	11	3/16	278.77	1.52	5.33	0.13	2-379	1.217067	19,944.27
2-380	11.475	0.065	0.210	0.005	11-1/2	3/16	291.47	1.65	5.33	0.13	2-380	1.271473	20,835.83
2-381	11.975	0.065	0.210	0.005	12	3/16	304.17	1.65	5.33	0.13	2-381	1.325879	21,727.39
2-382	12.975	0.065	0.210	0.005	13	3/16	329.57	1.65	5.33	0.13	2-382	1.434691	23,510.52
2-383	13.975	0.070	0.210	0.005	14	3/16	354.97	1.78	5.33	0.13	2-383	1.543504	25,293.65
2-384	14.975	0.070	0.210	0.005	15	3/16	380.37	1.78	5.33	0.13	2-384	1.652316	27,076.77
2-385	15.955	0.075	0.210	0.005	16	3/16	405.26	1.91	5.33	0.13	2-385	1.758952	28,824.24
2-386	16.955	0.080	0.210	0.005	17	3/16	430.66	2.03	5.33	0.13	2-386	1.867765	30,607.36
2-387	17.955	0.085	0.210	0.005	18	3/16	456.06	2.16	5.33	0.13	2-387	1.976577	32,390.49
2-388	18.955	0.090	0.210	0.005	19	3/16	481.46	2.29	5.33	0.13	2-388	2.085389	34,173.62
2-389	19.955	0.095	0.210	0.005	20	3/16	506.86	2.41	5.33	0.13	2-389	2.194202	35,956.74
2-390	20.955	0.095	0.210	0.005	21	3/16	532.26	2.41	5.33	0.13	2-390	2.303014	37,739.87
2-391	21.955	0.100	0.210	0.005	22	3/16	557.66	2.54	5.33	0.13	2-391	2.411827	39,522.99
2-392	22.940	0.105	0.210	0.005	23	3/16	582.68	2.67	5.33	0.13	2-392	2.519007	41,279.37
2-393	23.940	0.110	0.210	0.005	24	3/16	608.08	2.79	5.33	0.13	2-393	2.627819	43,062.50
2-394	24.940	0.115	0.210	0.005	25	3/16	633.48	2.92	5.33	0.13	2-394	2.736632	44,845.63
2-395	25.940	0.120	0.210	0.005	26	3/16	658.88	3.05	5.33	0.13	2-395	2.845444	46,628.75
2-425	4.475	0.033	0.275	0.006	4-1/2	1/4	113.67	0.84	6.99	0.15	2-425	0.886337	14,524.54
2-426	4.600	0.033	0.275	0.006	4-5/8	1/4	116.84	0.84	6.99	0.15	2-426	0.909661	14,906.77
2-427	4.725	0.033	0.275	0.006	4-3/4	1/4	120.02	0.84	6.99	0.15	2-427	0.932986	15,288.99
2-428	4.850	0.033	0.275	0.006	4-7/8	1/4	123.19	0.84	6.99	0.15	2-428	0.956311	15,671.22
2-429	4.975	0.037	0.275	0.006	5	1/4	126.37	0.94	6.99	0.15	2-429	0.979635	16,053.44
2-430	5.100	0.037	0.275	0.006	5-1/8	1/4	129.54	0.94	6.99	0.15	2-430	1.002960	16,435.67
2-431	5.225	0.037	0.275	0.006	5-1/4	1/4	132.72	0.94	6.99	0.15	2-431	1.026285	16,817.89
2-432	5.350	0.037	0.275	0.006	5-3/8	1/4	135.89	0.94	6.99	0.15	2-432	1.049609	17,200.12
2-433	5.475	0.037	0.275	0.006	5-1/2	1/4	139.07	0.94	6.99	0.15	2-433	1.072934	17,582.34
2-434	5.600	0.037	0.275	0.006	5-5/8	1/4	142.24	0.94	6.99	0.15	2-434	1.096259	17,964.57
2-435	5.725	0.037	0.275	0.006	5-3/4	1/4	145.42	0.94	6.99	0.15	2-435	1.119583	18,346.79
2-436	5.850	0.037	0.275	0.006	5-7/8	1/4	148.59	0.94	6.99	0.15	2-436	1.142908	18,729.02
2-437	5.975	0.037	0.275	0.006	6	1/4	151.77	0.94	6.99	0.15	2-437	1.166233	19,111.24

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.





Parker Size #	Actual Size (Inches)				Nominal Dimensions		Actual Size (mm)				Parker Size #	Volume at Mean Dimensions	
	ID		W				ID		W				
2-438	6.225	0.040	0.275	0.006	6-1/4	1/4	158.12	1.02	6.99	0.15	2-438	1.212882	19,875.69
2-439	6.475	0.040	0.275	0.006	6-1/2	1/4	164.47	1.02	6.99	0.15	2-439	1.259531	20,640.14
2-440	6.725	0.040	0.275	0.006	6-3/4	1/4	170.82	1.02	6.99	0.15	2-440	1.306180	21,404.59
2-441	6.975	0.040	0.275	0.006	7	1/4	177.17	1.02	6.99	0.15	2-441	1.352830	22,169.04
2-442	7.225	0.045	0.275	0.006	7-1/4	1/4	183.52	1.14	6.99	0.15	2-442	1.399479	22,933.49
2-443	7.475	0.045	0.275	0.006	7-1/2	1/4	189.87	1.14	6.99	0.15	2-443	1.446128	23,697.94
2-444	7.725	0.045	0.275	0.006	7-3/4	1/4	196.22	1.14	6.99	0.15	2-444	1.492778	24,462.39
2-445	7.975	0.045	0.275	0.006	8	1/4	202.57	1.14	6.99	0.15	2-445	1.539427	25,226.84
2-446	8.475	0.055	0.275	0.006	8-1/2	1/4	215.27	1.40	6.99	0.15	2-446	1.632726	26,755.74
2-447	8.975	0.055	0.275	0.006	9	1/4	227.97	1.40	6.99	0.15	2-447	1.726024	28,284.64
2-448	9.475	0.055	0.275	0.006	9-1/2	1/4	240.67	1.40	6.99	0.15	2-448	1.819323	29,813.54
2-449	9.975	0.055	0.275	0.006	10	1/4	253.37	1.40	6.99	0.15	2-449	1.912621	31,342.44
2-450	10.475	0.060	0.275	0.006	10-1/2	1/4	266.07	1.52	6.99	0.15	2-450	2.005920	32,871.34
2-451	10.975	0.060	0.275	0.006	11	1/4	278.77	1.52	6.99	0.15	2-451	2.099219	34,400.24
2-452	11.475	0.060	0.275	0.006	11-1/2	1/4	291.47	1.52	6.99	0.15	2-452	2.192517	35,929.14
2-453	11.975	0.060	0.275	0.006	12	1/4	304.17	1.52	6.99	0.15	2-453	2.285816	37,458.03
2-454	12.475	0.060	0.275	0.006	12-1/2	1/4	316.87	1.52	6.99	0.15	2-454	2.379114	38,986.93
2-455	12.975	0.060	0.275	0.006	13	1/4	329.57	1.52	6.99	0.15	2-455	2.472413	40,515.83
2-456	13.475	0.070	0.275	0.006	13-1/2	1/4	342.27	1.78	6.99	0.15	2-456	2.565712	42,044.73
2-457	13.975	0.070	0.275	0.006	14	1/4	354.97	1.78	6.99	0.15	2-457	2.659010	43,573.63
2-458	14.475	0.070	0.275	0.006	14-1/2	1/4	367.67	1.78	6.99	0.15	2-458	2.752309	45,102.53
2-459	14.975	0.070	0.275	0.006	15	1/4	380.37	1.78	6.99	0.15	2-459	2.845607	46,631.43
2-460	15.475	0.070	0.275	0.006	15-1/2	1/4	393.07	1.78	6.99	0.15	2-460	2.938906	48,160.33
2-461	15.955	0.075	0.275	0.006	16	1/4	405.26	1.91	6.99	0.15	2-461	3.028473	49,628.07
2-462	16.455	0.075	0.275	0.006	16-1/2	1/4	417.96	1.91	6.99	0.15	2-462	3.121771	51,156.97
2-463	16.955	0.080	0.275	0.006	17	1/4	430.66	2.03	6.99	0.15	2-463	3.215070	52,685.87
2-464	17.455	0.085	0.275	0.006	17-1/2	1/4	443.36	2.16	6.99	0.15	2-464	3.308369	54,214.77
2-465	17.955	0.085	0.275	0.006	18	1/4	456.06	2.16	6.99	0.15	2-465	3.401667	55,743.67
2-466	18.455	0.085	0.275	0.006	18-1/2	1/4	468.76	2.16	6.99	0.15	2-466	3.494966	57,272.57
2-467	18.955	0.090	0.275	0.006	19	1/4	481.46	2.29	6.99	0.15	2-467	3.588264	58,801.47
2-468	19.455	0.090	0.275	0.006	19-1/2	1/4	494.16	2.29	6.99	0.15	2-468	3.681563	60,330.37
2-469	19.955	0.095	0.275	0.006	20	1/4	506.86	2.41	6.99	0.15	2-469	3.774862	61,859.27
2-470	20.955	0.095	0.275	0.006	21	1/4	532.26	2.41	6.99	0.15	2-470	3.961459	64,917.07
2-471	21.955	0.100	0.275	0.006	22	1/4	557.66	2.54	6.99	0.15	2-471	4.148056	67,974.87
2-472	22.940	0.105	0.275	0.006	23	1/4	582.68	2.67	6.99	0.15	2-472	4.331854	70,986.80
2-473	23.940	0.110	0.275	0.006	24	1/4	608.08	2.79	6.99	0.15	2-473	4.518451	74,044.60
2-474	24.940	0.115	0.275	0.006	25	1/4	633.48	2.92	6.99	0.15	2-474	4.705049	77,102.40
2-475	25.940	0.120	0.275	0.006	26	1/4	658.88	3.05	6.99	0.15	2-475	4.891646	80,160.19

Nominal dimensions are used for reference only. They do not convey actual part dimensions.  
Some materials may require dedicated tooling to achieve these dimensions and tolerances.